

Sample Received: **March 18, 2026**

COA Issued: **March 20, 2026**

## PRODUCT INFORMATION

Vendor: <b>PRO Performance MD</b>	Sample Name: <b>Glow 95mg</b>	Sample Type: <b>Blue lyophilized powder</b>	Batch Number: <b>L20151226GLOW</b>	MW: <b>403, 1419, &amp; 4964 g/mol</b>
--------------------------------------	----------------------------------	--	---------------------------------------	---

## ANALYTICAL METHODS

**Identity:** Confirmed via MALDI-MS

**Purity:** RP-HPLC (214 nm)

**Content:** HPLC quantitation



## TEST RESULTS

Specification	Result	Method	Status
Identity: Glow	GHK-Cu, BPC-157, & TB-500	MALDI-MS	✓ Conforms
Content	77.21, 11.31, 10.46 mg	HPLC Quantitation	✓ Conforms
Overall Purity	99.7%	RP-HPLC (214 nm)	✓ Conforms



Endotoxin Threshold	Result
Replicate 1	≤ 0.05 EU/mL PASS

## ANALYTICAL DATA

HPLC Chromatogram (Retention Time: 2.133, 5.983, 6.175 min)



## Mass Spectrum (MALDI-MS)



**Certification:** This COA confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Visit: <https://bioviridians.com/coa-search.html>



*Shane Straight*

**Shane Straight, M.S.**

Principal Chemist, Bioviridian Inc.

Contact: [info@bioviridians.com](mailto:info@bioviridians.com)